



ZIP HYDROTAP G4 BA 160

Order Code HT1708

Zip HydroTap Boiling, Ambient, Filtered water appliance featuring a single under bench command centre including full colour interactive touch screen display with pin code protection, 2 boiling water safety modes, 3 energy saving modes including sensor activated "sleep when its dark" and 0.2 micron water filtration.

Manufacturing Code	5001AU0H4ZN1C
--------------------	---------------

Capacity	Commercial
----------	------------

Disability Options	Available
--------------------	-----------

Boiling Cups per hour	160
-----------------------	-----



Tap	Zip HydroTap CLASSIC Tap (Chrome)
------------	-----------------------------------

Water Pressure	Min 172kPa - Max 700kPa
-----------------------	-------------------------

Water Connection	12.7mm BSP
-------------------------	------------

Water Supply Requirements	Cold
----------------------------------	------

Water Valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
---------------------	--

Power Rating	1.9kW 220-240V 50/ 60Hz
---------------------	-------------------------

Power Supply	1 x 10Amp GPO
---------------------	---------------

Dimensions	H333mm x W280mm x D313mm
-------------------	--------------------------

Product Approvals	WaterMark, CE, RCM
--------------------------	--------------------

Warranty	5 years (appliance warranty 36 months plus additional 24 months tank warranty)
-----------------	--

Installation Requirements

1. Installation and connection of your Zip HydroTap must be carried out by a qualified person, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1.5 metres of the product.
3. HydroTap is air-cooled so discrete cabinetry cut-outs are required for ventilation.
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. If you live in a hard water area, we recommend installation of a Zip scale filtration kit.
6. Installation by Zip Professional Service can be arranged with a phone call or through www.zipwater.com

Installation Detail



